STRAIGHT COUPLERS

- Easy assembly/disassembly, no tools required, low profile design
- Provide an air- and water-tight connection
- Designed and tested to meet or exceed industry standards
- Color coded to easily identify by size
- Available for all Microduct sizes 5mm–27mm, some sizes available with pre-installed clips

- Specially designed to ensure a smooth interior transition
- Withstand chemical and harsh environment conditions
- Approved for use at 232PSI/16Bar
- "HD" or "Heavy Duty" denotes enhanced pull-out and pressure characteristics (currently size 18/10 next page)



5/3.5mm (OD/ID) Straight Coupler

PART #

20001462



6/4mm (OD/ID) Straight Coupler

PART #

20004725



7mm (OD/ID) Straight Coupler

PART #

20001463



7/5.5mm (OD/ID) Straight Coupler w/Clip

PART #

20005718



8/6mm (OD/ID) Straight Coupler

PART #

20003948



8.5/6mm (OD/ID) Straight Coupler

PART #

20001834



8.5/6mm (OD/ID) Straight Coupler w/Clip

PART #

20005598



10/8mm (OD/ID) Straight Coupler

PART #

20005123



12/8mm (OD/ID) Straight Coupler

PART #

20001833



12/10mm (OD/ID) Straight Coupler

PART #

20005069



12.7/10mm (OD/ID) Straight Coupler

PART #

20001832



14/10mm (OD/ID) Straight Coupler

PART #

20003430



14/10mm (OD/ID) Straight Coupler w/Clip

PART #

20005599

STRAIGHT COUPLERS

- Easy assembly/disassembly, no tools required, low profile design
- Provide an air- and water-tight connection
- Designed and tested to meet or exceed industry standards
- Color coded to easily identify by size
- Available for all Microduct sizes 5mm-27mm, some sizes available with pre-installed clips
- Specially designed to ensure a smooth interior
- Withstand chemical and harsh environment conditions
- Approved for use at 232PSI/16Bar
- "HD" or "Heavy Duty" denotes enhanced pull-out and pressure characteristics (currently size 18/10 below)



16/12mm (OD/ID) Straight Coupler

PART #

20001517



16/12mm (OD/ID) Straight Coupler w/Clip

PART #

20005600



16/13mm (OD/ID) Straight Coupler

PART #

20005735



18/10mm (OD/ID) **HD Straight Coupler**

PART #

20005217



18/14mm (OD/ID) Straight Coupler

PART #

20001518



18/14mm (OD/ID) Straight Couplerw/Clip

PART #

20005601



22/16mm (OD/ID) Straight Coupler

PART #

20003137



22/18mm (OD/ID) Straight Coupler

PART #

20004910







TRANSITION COUPLERS

- Easy assembly/disassembly, no tools required
- Provide an air- and water-tight connection
- Transition couplers available to provide coupling of different diameters
- Designed and tested to meet or exceed industry standards

- Color coded to easily identify by size
- Specially designed to ensure a smooth interior transition
- Withstand chemical and harsh environment conditions
- Low profile design
- ▶ Approved for use at 232PSI/16Bar



7mm x 5mm Transition Coupler

PART #

20001882



8mm x 5mm Transition Coupler

PART #

20003016



8.5mm x 5mm Transition Coupler

PART #

20001883



8.5mm x 8mm Transition Coupler

PART #

20001884



10mm x 8.5mm Transition Coupler

PART #

20001881



12mm x 10mm Transition Coupler

PART #

20003262



12.7mm x 8.5mm Transition Coupler

PART #

20004736



12.7mm x 10mm Transition Coupler

PART #

20003498



12.7mm x 12mm Transition Coupler

PART #

20001939



14mm x 12.7mm Transition Coupler

PART #

20003658



16mm x 12mm Transition Coupler

PART #

20003708



16mm x 12.7mm Transition Coupler

PART #

20003207



16mm x 14mm Transition Coupler

PART #

20003915



MICROTECHNOLOGY ACCESSORIES

TRANSITION COUPLERS

- Easy assembly/disassembly, no tools required
- Provide an air- and water-tight connection
- Transition couplers available to provide coupling of different diameters
- Designed and tested to meet or exceed industry standards
- Color coded to easily identify by size

- Specially designed to ensure a smooth interior transition
- Withstand chemical and harsh environment conditions
- Low profile design
- Approved for use at 232PSI/16Bar









